


NIMBUS

luxurious commercial carpet


NIMBUS *SERIES*

SIZE: 50cm x 50cm


PP CARPET



NIMBUS DARK GREY



NIMBUS LIGHT GREY



NIMBUS BLUE



NIMBUS BEIGE

NIMBUS SERIES



NIMBUS DARK GREY

NIMBUS SERIES



NIMBUS LIGHT GREY

NIMBUS SERIES



NIMBUS LIGHT GREY

NIMBUS SERIES



NIMBUS DARK GREY&BEIGE

NIMBUS SERIES



NIMBUS BLUE


NIMBUS SERIES



NIMBUS BEIGE

SPECIFICATIONS:

STYLE NAME	NIMBUS
FACE YARN	100% PP
CONSTRUCTION	TUFTED LOOP PILE
BACKING	Eco Back
GAUGE	1/12"
PILE HEIGHT	3mm
TOTAL HEIGHT	5mm
PILE WEIGHT	18oz
SIZE	50x50cm
PACKAGE	20 pcs/carton(5m ²)



Quarter-turn



Brick



Monolithic



Ashlar

Recommended maintenance:

Depending on the installation method, seams may remain visible and this should not be treated as an inherent flaw of carpet tiles. The subfloor must be dry, smooth, flat and free of dirt or any debris that could affect adhesion of tiles on the floor. Chair pads are recommended under office chairs with roller casters in order to protect appearance retention and to avoid premature wear. Carpet maintenance must be regularly carried out to extend the life of the product. Regular use of vacuum-brushing cleaner is the best way to care for carpets.