




SPACE SERIES

**MODULAR CARPET
TILE**



SPACE BLUE








SPACE DARK GREY









SPACE GREEN








SPACE LIGHT GREY








SPACE ORANGE











SPACE RED







COMBINATION










SPACE SERIES


SPECIFICATION

FIBRE	UNIVERSAL CHROMO NYLON
CONSTRUCTION	MULTI - LEVEL SCROLL
MACHINE GAUGE	1/12"
PILE HEIGHT	4-5 MM
TOTAL HEIGHT	7MM
PILE WEIGHT	720 GR /M2
TOTAL WEIGHT	4400 GR /M2
PRIMARY BACKING	NON WOVEN LUTRADOR
SECONDARY BACKING	PVC + FIBRE GLASS
SIZE PER TILE	25CM X 100CM
NO OF TILES PER BOX	20PCS PER BOX(5M2)
SCOTCH GUARD	3M SCOTCH GAURD
ANTI STAIN RESISTANT	YES
INSTALLATION	SURFACE TACKIFIER
ANTISTATIC PROPERTIES	PERMANENTLY ANTISTATIC


INSTALLATION METHOD




stack bond




subway




running bond



basket weave 1



basket weave 2



herringbone



Ultraviolet Resistance



Antistatic



Reduced Flammability



Wear Resistance



100% B.C.F. Yarn



Dimensional Stability



Anti-slip



Passed Various Tests



Comfortable



ISO9001:2008 GB/T 19001-2008
ISO14001:2004 GB/T 24001-2004



EN14041:2004



suitable for heater floors



Castor chair friendly



Class 1

Independent Textile
Testins
Services, Inc.

