

SURFACE *SERIES*

 Instafloor



L.Grey+Beige

Surface *SERIES*

SIZE: 50cm x 50cm
PP CARPET



Beige



L.Grey



D.Grey



Blue





SURFACE SERIES

 Instafloor



L.Grey+Blue



SURFACE *SERIES*

 Instafloor



D.Grey+L.Grey

SURFACE *SERIES*

 Instafloor



BLUE



SURFACE *SERIES*

 Instafloor



D.Grey+Blue

SURFACE *SERIES*



 Instafloor



MIX

SPECIFICATIONS:

STYLE NAME	SURFACE
FACE YARN	100% PP
CONSTRUCTION	Muti Level Loop Pile
BACKING	Eco Back
GAUGE	1/12"
PILE HEIGHT	5mm(± 0.5 mm)
TOTAL HEIGHT	7mm
PILE WEIGHT	21oz/yd ²
SIZE	50x50cm
PACKAGE	20 pcs/carton



Quarter-turn



Brick



Monolithic



Ashlar

Recommended maintenance:

Depending on the installation method, seams may remain visible and this should not be treated as an inherent flaw of carpet tiles. The subfloor must be dry, smooth, flat and free of dirt or any debris that could affect adhesion of tiles on the floor. Chair pads are recommended under office chairs with roller casters in order to protect appearance retention and to avoid premature wear. Carpet maintenance must be regularly carried out to extend the life of the product. Regular use of vacuum-brushing cleaner is the best way to care for carpets.